



Department of Public Service
5330 Seaman Road
Oregon, Ohio 43616
(419) 698-7047
FAX (419) 691-0241

February 14, 2020

ADDENDUM No. 2
2020 ROAD IMPROVEMENT PROGRAM

CITY OF OREGON
DEPARTMENT OF PUBLIC SERVICE

BIDS TO BE OPENED: Thursday, February 20, 2020 at 10:00 A.M.

Plan holders of the City of Oregon's 2020 Road Improvement Program are hereby notified of the following amendments to the Contract Documents. The following additions, alterations, deletions and/or clarifications shall be part of the Base Bid as much as if they were originally included in the Contract Documents. This Addendum No. 2 is hereby made a part of the Contract Documents.

NOTICE TO BIDDERS – Revised Bid Opening Date

The bid opening has been moved back to **10:00 am on Thursday, February 20, 2020.**

Delete and replace the text for paragraph 1 of the Notice to Bidders with the following revised bid opening time:

Sealed proposals marked for “**2020 ROADWAY IMPROVEMENT PROGRAM**” will be received by the City of Oregon, Ohio, at the Office of the Director of Public Service at the Oregon Municipal Building, 5330 Seaman Road, Oregon, Ohio 43616-2608, **until 10:00 A.M., local time, on Thursday, February 20, 2020**, and then opened and read aloud for furnishing the Department of Public Service with the following work:

CONTRACT CHANGES

1) **ANSWERS TO SUBMITTED QUESTIONS**

Question #1 – Would the City be interested in the millings from Project #1 at the 5330 Seaman location?

Yes, the City would consider taking the additional millings. The contractor would be responsible for maintaining the stockpile.

2) **PROJECT #4 BID FORM**


Replace PAGE 23 in the Project #4 Bid Form with the attached **REVISED PROJECT #4 BID FORM – REVISED PAGE 23 DATED 2/14/2020.**



Department of Public Service
5330 Seaman Road
Oregon, Ohio 43616
(419) 698-7047
FAX (419) 691-0241

3) **PROJECT #4 DESCRIPTIONS**

Replace PAGES 124 and 125 in the Project #4 Description with the attached **REVISED PROJECT #4 DESCRIPTION – REVISED PAGES 124 AND 125 DATED 2/14/2020.**


Rodney Shultz, P.E.
Deputy City Engineer

BID FORM

To the Director of Public Service
Municipal Building
5330 Seaman Road
Oregon, Ohio 43616-2633

I. The undersigned, having familiarized _____ with the local conditions affecting the cost of the work and with the Contract Documents, hereby proposes to perform everything required to be performed and to provide and furnish all of the labor, materials, necessary tools, expendable equipment, and all utility and transportation services necessary to perform and complete in a workmanlike manner all of the work required for Asphalt Concrete, Concrete Pavement, Concrete Curb, and Appurtenances for the CITY OF OREGON, OHIO, all in accordance with the specifications for the following prices, to wit:

BASE BID: West Municipal Complex Improvements, Phase 2

<u>REF NO.</u>	<u>ODOT ITEM#</u>	<u>ITEM DESCRIPTION</u>	<u>EST. QTY.</u>	<u>UNIT</u>	<u>UNIT PRICE BID</u>	<u>TOTAL AMOUNT BID</u>
1	202	Pavement Removed/Excavation for Concrete Apron	165	SY		
2	SPEC	Edge of Road Undercuts, APP	278	CY		
3	301	3" Asphalt Concrete Base	408	CY		
4	304	6" Aggregate Base	843	CY		
5	407	Tack Coat	1468	Gal		
6	441	1 1/2" Asphalt Concrete Surface Course, Type 1 (448), PG64-22	204	CY		
7	441	1 1/2" Asphalt Concrete Surface Course, Type 2 (448)	204	CY		
8	452	8" Non-Reinforced Portland Cement Concrete Pavement (MS)	165	SY		
9	609	Curb, Type 6	831	LF		
10	623	Construction Staking	1	LS		
11	SPEC	Restoration, APP	1	LS		
12	617	Compacted Aggregate, Type A	185	CY		

The ODOT Item Numbers listed above and referenced in the Technical Specifications are strictly used to describe the composition, placement, and removal of material only. The cost for any additional items

DESCRIPTION OF WORK
West Municipal Complex Improvements Phase 2

PROPOSED WORK

The project consists of the paving of an access road. The project also includes the construction of curb and associated work.

- a) Access Road
 - a. Item 452 8" Non-Reinforced Concrete Pavement with 6" Item 304 Aggregate Base
 - b. Item 609 Type 6 Curb
 - c. 6" Item 304 Aggregate Base
 - d. 3" Item 301 Asphalt Concrete Base
 - e. 1.5" Item 441 Asphalt Concrete Intermediate Course, Type 2
 - f. 1.5" Item 441 Asphalt Concrete Surface Course, Type 1
 - g. **Item 617, Compacted Aggregate, Type A**

- b) Item SPEC, Edge of Road Undercuts, APP, As Directed
 - a. Quantity is included to excavate 12" deep on the outer 3' of the proposed edge of pavement on each side of the access road and fill and compact with millings, recycled concrete, or Item 304. Undercuts to be 2-3' wide, As Directed.
 - b. Excavated material may be disposed of on site

- c) Item SPEC, Restoration, APP
 - a. Topsoil for fill in islands is available on site
 - b. Restoration, APP to include seeding and mulching

Note(s):

- 1) The Contractor shall construct or install the above work in accordance to the Contract Specifications.
- 2) Contractor shall schedule work with engineer a **minimum** of two weeks prior to work.
- 3) All pavement removals edges shall be cut with neat lines by use of a power carborundum saw or mill machine. Saw cuts shall be full-depth. Removals shall be made only to the extent provided in the plans, or as approved by the project engineer.
- 4) The Contractor shall saw cut and carefully remove existing bike path. Care should be taken to not damage the bike path beyond the replacement limits during removal.
- 5) The contractor shall furnish and maintain signs, barricades, lights, and flaggers necessary for the protection of traffic and the public at all times, day and night, during the work provided for under this project, and to comply with all instructions given by the City. All traffic control devices, flaggers, traffic maintenance methods and other operations to provide for protection of traffic shall conform to the requirements of the Ohio Manual of Traffic Control Devices, latest edition.
- 6) The contractor must submit a project schedule for meeting the Construction Sequencing requirements, listed below, a minimum of two weeks prior to starting the work.

West Municipal Complex Improvements Phase 2

REF #	ODOT ITEM#	ITEM	ESTIMATED QUANTITY	UNIT
1	202	Pavement Removed/Excavation for Concrete Apron	165	SY
2	SPEC	Edge of Road Undercuts, APP	278	CY
3	301	3" Asphalt Concrete Base	408	CY
4	304	6" Aggregate Base	843	CY
5	407	Tack Coat	1468	Gal
6	441	1 1/2" Asphalt Concrete Surface Course, Type 1 (448), PG64-22	204	CY
7	441	1 1/2" Asphalt Concrete Surface Course, Type 2 (448)	204	CY
8	452	8" Non-Reinforced Portland Cement Concrete Pavement (MS)	165	SY
9	609	Curb, Type 6	831	LF
10	623	Construction Staking	1	LS
11	SPEC	Restoration, APP	1	LS
12	617	Compacted Aggregate, Type A	185	CY